Neuroscience Letters, 126 (1991) 207–209
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, T., see Tohgi, H., 155
Achaval, M., Martínez-Murillo, R., Rodrigo, J., Aguado, F., Felipe, M.C.D. and Río, J.D., Lasting loss in substance P following administration of substance P antiserum to newborn rats. An immunohistochemical study, 75
Agnati, L.F., see Benfenati, F., 6
Aguado, F., see Achaval, M., 75
Ahlenius, S., Hillegaart, V. and Wijkström, A., Quinpirole — a 5-HT receptor antagonist, 57
Araki, T., see Kato, H., 21
Ashburner, J., see Jones, A.K.P., 25
Aziz, S.M., see Bolser, D.C., 131

Baba, A., see Etoh, S., 119
Baeyens, J.M., see Ocaña, M., 67
Barat, A., see Pérez-Tur, J., 172
Bartfai, T., see Consolo, S., 29
Beal, M.F., see Finn, S.F., 191
Bechberger, J.F., see Naus, C.C.G., 33
Benardo, L.S., Acetylcholine and norepinephrine mediate slow synaptic potentials in normal and epileptic neocortex, 137
Benfenati, F., Cimino, M., Zoli, M., Grimaldi, R., Zini, I. and Agnati, L.F., Decrease in mRNA levels but not in the density of D_2 dopamine receptors in rat striatum after transient forebrain ischemia, 6
Bergis, O., see Sara, S.J., 1
Bernardi, G., see Mercuri, N.B., 79
Bertorelli, R., see Consolo, S., 29
Blastos, B., see Yoshiyama, M., 141
Bloomfield, P., see Jones, A.K.P., 25
Bolser, D.C., Aziz, S.M. and Chapman, R.W., Ruthenium red decreases capsaicin and citric acid-induced cough in guinea pigs, 131
Bothwell, M., see Kullas, C.D., 145
Breedlove, S.M., see Leslie, M., 199
Buchwald, N.A., see Cepeda, C., 167
Buse, E. and De Groot, H., Generation of developmental patterns in the neuroepithelium of the developing mammalian eye: the pigment epithelium of the eye, 63

Calabresi, P., see Mercuri, N.B., 79
Castro, E., see Herrero, I., 41
Caveney, S., see Naus, C.C.G., 33
Ceccatelli, S., see Pelto-Huikko, M., 163
Cepeda, C., Peacock, W., Levine, M.S. and Buchwald, N.A., Iontophoretic application of NMDA produces different types of excitatory responses in developing human cortical and caudate neurons, 167
Cespuglio, R., see Rampin, C., 113
Chapman, R.W., see Bolser, D.C., 131
Chastrette, N., see Rampin, C., 113
Chen, C.-K., see McDonald, J.W., 83
Chiba, A., see Endo, Ya., 60
Cimino, M., see Benfenati, F., 6
Cohen-Armon, M. and Sokolovsky, M., Inhibition of pertussis toxin catalyzed ADP-ribosylation of G-proteins by membrane depolarization in rat brain synaptoneurosomes, 87
Colbert, C.M., see Hashemzadeh-Gargari, H., 37
Consolo, S., Bertorelli, R., Girotti, P., La Porta, C., Bartfai, T., Parenti, M. and Zambelli, M., Pertussis toxin-sensitive G-protein mediates galanin's inhibition of scopolamine-evoked acetylcholine release in vivo and carbachol-stimulated phosphoinositide turnover in rat ventral hippocampus, 29
Cunningham, V.J., see Jones, A.K.P., 25
Curran, G.H., see McCarthy, M.M., 94

Dagerlind, Å., see Pelto-Huikko, M., 163
De Groat, W.C., see Yoshiyama, M., 141
De Groot, H., see Buse, E., 63
Dietz, V., Trippel, M., Discher, M. and Horstmann, G.A., Compensation of human stance perturbations: selection of the appropriate electromyographic pattern, 71
Discher, M., see Dietz, V., 71
Dunkley, P.R., see Sim, A.T.R., 203

Endo, O., see Kiba, T., 127
Endo, Ya., Chiba, A. and Honma, Y., Exocytotic release of neurotransmitters from nerve fibers in the endocrine pancreas (Brockmann body) of the teleost, *Takifugu niphobles*, 60
Ericson, H., see Köhler, C., 107
Escorihuela, R.M., Fernández-Teruel, A., Núñez, F.J., Zapata, A. and Tobeña, A., Beneficial effects of infantile stimulation on coping (avoidance) behavior in rats are prevented by perinatal blockade of benzodiazepine receptors with Ro 15–1788, 45
Etoh, S., Baba, A. and Iwata, H., NMDA induces protein kinase C translocation in hippocampal slices of immature rat brain, 119

Facci, L., see Skaper, S.D., 98
Feder, H.H., see McCarthy, M.M., 94
Felipe, M.C.D., see Achaval, M., 75
Fernández-Teruel, A., see Escorihuela, R.M., 45
Ferriero, D.M. and Simon, R.P., Neonatal striatal NADPH-diaphorase neurons are vulnerable to quisqualate and its analogue α-amino-3-hydroxy-5-methyl-4-isoxazole proprionate (AMPA), 52
Finn, S.F., Swartz, K.J. and Beal, M.F., 2-Chloroadenosine attenuates NMDA, kainate, and quisqualate toxicity, 191
Forger, N.G., see Leslie, M., 199
Fucini, C., see Renzi, D., 134
Fujino, M., see Masuo, Y., 103
Fujirawa, T., see Jones, A.K.P., 25
Fukuda, H., see Jones, A.K.P., 25

Gajdusek, D.C., see Guiroy, D.C., 195
Girotti, P., see Consolo, S., 29
Goedert, M., Spillantini, M.G. and Jakes, R., Localization of the Alz-50 epitope in recombinant human microtubule-associated protein tau, 149
Grimaldi, R., see Benfenati, F., 6
Guiroy, D.C., Williams, E.S., Yanagihara, R. and Gajdusek, D.C., Immunolocalization of scrapie amyloid (PrP27-30) in chronic wasting disease of Rocky Mountain elk and hybrids of captive mule deer and white-tailed deer, 195

Hallström, Å., see Kurosawa, M., 123
Hashemzadeh-Gargari, H., Colbert, C.M. and Levy, W.B., Refining the temporal definition of an association at the neuronal level using long-term potentiation and long-term depression in the dentate gyrus, 37
Hashiguchi, K., see Tohgi, H., 155
Heinonen, E., see Kaila, K., 9

Henry, M.A., see Kullas, C.D., 145
Herrero, I., Castro, E., Miras-Portugal, M.T. and Sánchez-Prieto, J., Glutamate exocytosis evoked by 4-aminopyridine is inhibited by free fatty acids released from rat cerebrocortical synaptosomes, 41
Hillegaart, V., see Ahlenius, S., 57
Hökfelt, T., see Pelto-Huikko, M., 163
Honma, Y., see Endo, Ya., 60
Horstmann, G.A., see Dietz, V., 71

Inoue, K., see Kusunoki, S., 159
Inoue, S., see Kiba, T., 127
Itoh, M., see Jones, A.K.P., 25
Iwamori, M., see Kusunoki, S., 159
Iwata, H., see Etoh, S., 119

Jakes, R., see Goedert, M., 149
Jarvie, P.E., see Sim, A.T.R., 203
Johnson, L.R., see Kullas, C.D., 145
Johnston, M.V., see McDonald, J.W., 83
Jones, A.K.P., Qi, L.Y., Fujirawa, T., Luthra, S.K., Ashburner, J., Bloomfield, P., Cunningham, V.J., Itoh, M., Fukuda, H. and Jones, T., In vivo distribution of opioid receptors in man in relation to the cortical projections of the medial and lateral pain systems measured with positron emission tomography, 25
Jones, T., see Jones, A.K.P., 25
Jouvet, M., see Rampin, C., 113

Kaila, K., Panula, P., Karhunen, T. and Heinonen, E., Fall in intracellular pH mediated by $GABA_A$ receptors in cultured rat astrocytes, 9
Karhunen, T., see Kaila, K., 9
Kato, H., Araki, T. and Kogure, K., Postischemic spontaneous hyperthermia is not a major aggravating factor for neuronal damage following repeated brief cerebral ischemia in the gerbil, 21
Kiba, T., Tanaka, K., Inoue, S., Endo, O. and Takamura, Yu., Comparison of DNA contents of visceral organs in rats with ventromedial hypothalamic lesions and fed a high fat diet, 127
Kikuchi, T., see Tohgi, H., 155
Kishimoto, T., see Ono, T., 18
Kogure, K., see Kato, H., 21
Köhler, C., Ericson, H. and Radesäter, A.-C., Different laminar distributions of dopamine D_1 and D_2 receptors in the rat hippocampal region, 107
Kullas, C.D., Henry, M.A., Westrum, L.E., Johnson, L.R. and Bothwell, M., Retrogasserian rhizotomy causes expression of nerve growth factor receptor-immunoreactive protein in motoneurons within the adult feline trigeminal motor nucleus, 145
Kumagae, Y., see Matsui, Y., 175
Kurosawa, M., Hallström, Å. and Ungerstedt, U., Changes in cerebral blood flow do not directly affect in vivo recovery of extracellular lactate through microdialysis probe, 123
Kusunoki, S., Inoue, K., Iwamori, M., Nagai, Y. and Mannen, T., Fucosylated glycoconjugates in human dorsal root ganglion cells with unmyelinated axons, 159

La Porta, C., see Consolo, S., 29
Leon, A., see Skaper, S.D., 98
Leslie, M., Forger, N.G. and Breedlove, S.M., Does androgen affect axonal transport of cholera toxin HRP in spinal motoneurons?, 199
Levine, M.S., see Cepeda, C., 167
Levy, W.B., see Hashemzadeh-Gargari, H., 37
Lin, Yu. and Phillis, J.W., Oxypurinol reduces focal ischemic brain injury in the rat, 187
Luthert, P.J. and Williams, J.A., A quantitative study of the coincidence of blood vessels and A4 protein deposits in Alzheimer's disease, 110
Luthra, S.K., see Jones, A.K.P., 25

Maggi, C.A., see Renzi, D., 134
Mannen, T., see Kusunoki, S., 159
Mantellini, P., see Renzi, D., 134
Martínez-Murillo, R., see Achaval, M., 75
Masuda, Ya., see Masuo, Y., 103
Masuo, Y., Ohtaki, T., Masuda, Ya., Nagai, Ya., Suno, M., Tsuda, M. and Fujino, M., Autoradiographic distribution of pituitary adenylate cyclase activating polypeptide (PACAP) binding sites in the rat brain, 103
Matsui, Y. and Kumagae, Y., Monoamine oxidase inhibitors prevent striatal neuronal necrosis induced by transient forebrain ischemia, 175
McCarthy, M.M., Curran, G.H. and Feder, H.H., Excitatory amino acid modulation of lordosis in the rat, 94
McDonald, J.W., Chen, C.-K., Trescher W.H. and Johnston, M.V., The severity of excitotoxic brain injury is dependent on brain temperature in immature rat, 83
Mercuri, N.B., Calabresi, P. and Bernardi, G., Dopamine uptake inhibition potentiates the effects of L-DOPA on rat substantia nigra zona compacta neurons, 79
Miras-Portugal, M.T., see Herrero, I., 41
Miyamoto, K., see Ono, T., 18
Murthy, C.R.K., see Rao, V.L.R., 13

Nagai, Ya., see Masuo, Y., 103
Nagai, Y., see Kusunoki, S., 159
Naus, C.C.G., Bechberger, J.F., Caveney, S. and Wilson, J.X., Expression of gap junction genes in astrocytes and C6 glioma cells, 33
Necker, R., Cells of origin of avian postsynaptic dorsal column pathways, 91
Nicol, M.J., see Walmsley, B., 184
Nozaki, Yu., see Tohgi, H., 155
Núñez, F.J., see Escorihuela, R.M., 45

Ocaña, M. and Baeyens, J.M., Analgesic effects of centrally administered aminoglycoside antibiotics in mice, 67
Ohtaki, T., see Masuo, Y., 103
Okumoto, T., see Ono, T., 18
Ono, T., Saito, H., Kishimoto, T., Okumoto, T. and Miyamoto, K., Stimulation of biosynthesis of nerve growth factor by acidic fibroblast growth factor in cultured mouse astrocytes, 18

Pai, K.S. and Ravindranath, V., Toxicity of *N*-acetylaspartylglutamate and its protection by NMDA and non-NMDA receptor antagonists, 49
Panula, P., see Kaila, K., 9
Peacock, W., see Cepeda, C., 167
Pelto-Huikko, M., Dagerlind, Å., Ceccatelli, S. and Hökfelt, T., The immediate-early genes c-*fos* and c-*jun* are differentially expressed in the rat adrenal gland after capsaicin treatment, 163
Pérez-Tur, J., Barat, A., Ramos, M. and Ramírez, G., Solubilization of asymmetric acetylcholinesterase by polyanions, 172
Phillis, J.W., see Lin, Yu., 187

Qi, L.Y., see Jones, A.K.P., 25

Radesäter, A.-C., see Köhler, C., 107

Ramírez, G., see Pérez-Tur, J., 172
Ramos, M., see Pérez-Tur, J., 172
Rampin, C., Cespuglio, R., Chastrette, N. and Jouvet, M., Immobilisation stress induces a paradoxical sleep rebound in rat, 113
Rao, V.L.R. and Murthy, C.R.K., Variations in the effects of L-methionine-DL-sulfoximine on the activity of cerebral γ-glutamyl transpeptidase in rats as a function of age, 13
Ravindranath, V., see Pai, K.S., 49
Redman, S.J., see Stuart, G.J., 179
Renzi, D., Mantellini, P., Maggi, C.A., Fucini, C. and Surrenti, C., Ruthenium red selectively antagonizes capsaicin-induced release of vasoactive intestinal polypeptide (VIP) from the human colon, 134
Rihmland, J., see Yoshiyama, M., 141
Río, J.D., see Achaval, M., 75
Rodrigo, J., see Achaval, M., 75
Roppolo, J.R., see Yoshiyama, M., 141
Rostas, J.A.P., see Sim, A.T.R., 203

Saito, H., see Ono, T., 18
Sánchez-Prieto, J., see Herrero, I., 41
Sara, S.J. and Bergis, O., Enhancement of excitability and inhibitory processes in hippocampal dentate gyrus by noradrenaline: a pharmacological study in awake, freely moving rats, 1
Sim, A.T.R., Dunkley, P.R., Jarvie, P.E. and Rostas, J.A.P., Modulation of synaptosomal protein phosphorylation/dephosphorylation by calcium is antagonised by inhibition of protein phosphatases with okadaic acid, 203
Simon, R.P., see Ferriero, D.M., 52
Skaper, S.D., Leon, A. and Facci, L., Ganglioside GM1 prevents death induced by excessive excitatory neurotransmission in cultured hippocampal pyramidal neurons, 98
Sokolovsky, M., see Cohen-Armon, M., 87
Spillantini, M.G., see Goedert, M., 149
Stuart, G.J. and Redman, S.J., Mechanisms of presynaptic inhibition studied using paired-pulse facilitation, 179
Suno, M., see Masuo, Y., 103
Surrenti, C., see Renzi, D., 134
Swartz, K.J., see Finn, S.F., 191

Takahashi, S., see Tohgi, H., 155
Takamura, Yu., see Kiba, T., 127
Tanaka, K., see Kiba, T., 127
Tobeña, A., see Escorihuela, R.M., 45
Tohgi, H., Abe, T., Hashiguchi, K., Takahashi, S., Nozaki, Yu. and Kikuchi, T., A significant reduction of putative transmitter amino acids in cerebrospinal fluid of patients with Parkinson's disease and spinocerebellar degeneration, 155
Trescher, W.H., see McDonald, J.W., 83
Trippel, M., see Dietz, V., 71
Tsuda, M., see Masuo, Y., 103

Ungerstedt, U., see Kurosawa, M., 123

Walmsley, B. and Nicol, M.J., Calcium facilitation of group Ia EPSPs evoked in cat spinal motoneurones in vivo, 184
Westrum, L.E., see Kullas, C.D., 145
Williams, E.S., see Guiroy, D.C., 195
Williams, J.A., see Luthert, P.J., 110
Wilson, J.X., see Naus, C.C.G., 33
Wijkström, A., see Ahlenius, S., 57

Yanagihara, R., see Guiroy, D.C., 195
Yoshiyama, M., Roppolo, J.R., Rihmland, J., Blastos, B. and De Groat, W.C., The effects of MK-801, an NMDA receptor antagonist, on the micturition reflex in the rat, 141

Zambelli, M., see Consolo, S., 29
Zapata, A., see Escorihuela, R.M., 45
Zini, I., see Benfenati, F., 6
Zoli, M., see Benfenati, F., 6